

CONTENTS · THE JOURNAL OF
General Physiology

VOLUME 98 · NUMBER 5 · NOVEMBER 1991

- 869 JOHN C. PARKER, G. CRAIG COLCLASURE, and THOMAS J. MCMANUS. Coordinated regulation of shrinkage-induced Na/H exchange and swelling-induced [K-Cl] cotransport in dog red cells. Further evidence from activation kinetics and phosphatase inhibition
- 881 G. CRAIG COLCLASURE and JOHN C. PARKER. Cytosolic protein concentration is the primary volume signal in dog red cells
- 893 STEPHEN J. KORN and RICHARD HORN. A $[\text{Na}^+]_o$ -independent, pH_o -dependent mechanism for reduction of intracellular $[\text{Ca}^{2+}]$ after influx through Ca^{2+} channels in mouse pituitary cells
- 909 TAKAYUKI SHOJI and KENZO KURIHARA. Sensitivity and transduction mechanisms of responses to general odorants in turtle vomeronasal system
- 921 MARK A. WALLERT, MICHAEL J. ACKERMAN, DONGHEE KIM, and DAVID E. CLAPHAM. Two novel cardiac atrial K^+ channels, I_{KAA} and I_{KPC}
- 941 GEORG KÖHR and ISTVAN MODY. Endogenous intracellular calcium buffering and the activation/inactivation of HVA calcium currents in rat dentate gyrus granule cells
- 969 MAGDALENA T. TOSTESON, JOSE A. HALPERIN, YOSHITO KISHI, and DANIEL C. TOSTESON. Palytoxin induces an increase in the cation conductance of red cells
- 987 BARTOLO GIANNATTASIO, STEPHEN W. JONES, and ANTONIO SCARPA. Calcium currents in the A7r5 smooth muscle-derived cell line. Calcium-dependent and voltage-dependent inactivation
- 1005 GING KUO WANG, RACHELLE SIMON, and SHO-YA WANG. Quaternary ammonium compounds as structural probes of single batrachotoxin-activated Na^+ channels
- 1025 CLAUDIO LAURIDO, SEBASTIAN CANDIA, DANIEL WOLFF, and RAMÓN LATORRE. Proton modulation of a Ca^{2+} -activated K^+ channel from rat skeletal muscle incorporated into planar bilayers
- 1043 F. L. H. GIELEN, R. N. FRIEDMAN, and J. P. WIKSWO, JR. In vivo magnetic and electric recordings from nerve bundles and single motor units in mammalian skeletal muscle. Correlations with muscle force